Behavioral Ecology Vol. 9 No. 6: 657–664

Volume 9 Indexes

Subject Index

Acanthocephalans, effect on mating success of hosts, 206–211
Acoustic signaling, in crickets, 101–108, 585–591
Adalia bipunctata (two-spot ladybird beetle). *See* Ladybird beetles
Advertisement. *See* Sexual advertisement
Aechmophorus. *See* Grebes
Aegolius funereus (Tengmalm's owl). *See* Owls
Aethia. *See* Auklets
Agelaius phoeniceus. *See* Red-winged blackbirds
Aggregation, in lycaenid larvae, 109–115
Aggression, in larval salamanders, 508–514
Altruism, 541
Ambystoma. *See* Salamanders
Antipredator behavior, 409–413, 598–604
Ants. *See also* Fire ants
  mutualistic relationships with butterflies, 109–115
  nest site limitation and colony takeover, 367–375
  sex allocation and queen fitness, 116–121
Aphelocoma. *See* Jays
Argyrodes. *See* Spiders
Asymmetry. *See also* Fluctuating asymmetry
  and male quality, 220–231
  and male reproductive success, 232–242
Auklets, mate choice and ornaments, 187–192
Autotomy, 598

Bats, effect on mating behavior of moths, 552–558
Beetles
  horned
    fluctuating asymmetry in, 465–470
    parental investment and horn morphology, 636–641
  ladybird, sperm precedence in, 559–565
Begging, in birds, 474, 541–545
Bethylidae, offspring size and number trade-offs, 54–59
Bighorn sheep, maternal expenditure in, 144–150
Blackbirds. *See* Red-winged blackbirds
Black grouse, territory positions in lekking, 376–383
Bluebirds, paternal care in eastern, 201–205
Bobwhites, northern, foraging decisions in, 177–186
Body mass, and maternal expenditure in bighorn sheep, 144–150
Body size, 546–551
  and cooperative colony foundation in ants, 478–485
  and courtship in fiddler crabs, 608, 610
  effect on female mate choice in mollies, 534–539
  and ejaculate expenditure in moths, 592–597
  and energetic constraints on mating, 297–300
  and habitat quality among voles, 261–266
  and reproductive success in male midges, 279–286
Bombus. *See* Bumble bees
Brachygastra mellifica. *See* Wasps
Breeding synchrony, 515, 521–522
  in great tits, 389, 393, 394–395
  in red-winged blackbirds, 456–464
Brood mixing, 309–312
Brood parasitism
  hosts of cuckoos, 566–572
  intraspecific in swallows, 158–171
  and reproductive success of moorhens, 93–100
Bubas bison. *See* Horned beetles
Bumble bees, trapline foraging, 612–621
Buntings, indigo, effect of brood parasitism on, 64–73
Burrows, of calling crickets, 102
Bursa, size and ejaculate expenditure, 596
Bustards, great, natal dispersal in, 243–253
Butterflies
  mutualistic relationships with ants, 109–115
  reproductive rates and parental expenditures, 20–25

Caching
  pilferage and body mass, 193–200
  social influences on, 122–129
  in willow tits, 122–129
CAIC, 10
Calling. *See* Acoustic signaling
Caloric intake. *See also* Food intake
  in birds, 472, 474–475
Cannibalism, sexual in spiders, 33–42
Cestodes, parasitism of copepods and sticklebacks, 414–418
Chickadees, cache pilferage and body mass, 193–200
Chironomus plumosus. *See* Midges
Chrysococcyx basalis (Horsfield's bronze cuckoo). *See* Cuckoos
Cichlids
  brood mixing in, 309–312
  helping behavior in, 432–438
Cinclus cinclus. *See* Eurasian dippers
Cliff swallows, alternative reproductive strategies, 158–161
Clutch size
  of moorhens with multiple broods, 95
  and offspring size trade-offs in wasps, 54–59
  optimal, 642–648
Cognition, in foraging of bobwhites, 177–186
Coho salmon, risk-taking behavior, 26–32
Colinus virginianus. *See* Bobwhites, northern
Coloniality, among cliff swallows, 158
Colony fission, in wasps, 172–176
Colony founding, in fire ants, 130–135, 301, 478–485
Colony integrity, among mole rats, 354–359
Colony takeover, by ants, 367–375
Coloration, effect of predators on prey, 409–413
Commensalism, among spiders, 384–387
Competition
  and dispersal, 243–253
  effect of intraspecific on dispersal in lizards, 500–507
  intraspecific among larval salamanders, 508–514
  in parasitized male *Gammarus lacustris*, 206–211
Complexity, definition of, 8–9
Continuous breeding model, 2
Cooperation
  between butterfly larvae and ants, 109–115
  in fire ants, 301–308, 478–485
Cooperative breeding, 267–278
  in cichlids, 432–438
Copepods, reaction to odors by parasitized, 414–418
Copulation. *See also* Extrapair copulations
  duration and paternity in beetles, 561–562, 564
  per capita, 430

Copying, mate choice, 323–327, 534–539
Courtship, in fiddler crabs, 605–611
Cowbirds, brood parasitism by, 64–73
Crickets
  female responses to males calls, 585–591
  influences on calling effort, 101–108
Cryptomys hottentotus hottentotus (common mole rat). *See* Mole rats
Cuckoos
  brood parasite hosts of, 566–572
  parasitism of splendid fairy-wrens, 419–424
Cultural transmission, 323
Cynomys, life-history consequences of increased social complexity, 8–19
Cyrtodiopsis. *See* Stalk-eyed flies

Dama dama. *See* Fallow deer
Damselfish, costs of female mate-choice, 439–444
Deer. *See* Fallow deer
Deflective displays, 598–604
Density
  and dispersal in great bustards, 248–249
  effect on dispersal in lizards, 500–507
Dentition, as measure of environmental stress in grizzly bears, 339–344
Developmental stability, 546–551
  in grizzly bears, 339–344
Dichromatism, sexual, 409–413
Diet quality, and horn morphology in horned beetles, 636–641
Dispersal
  in great bustards, 243–253
  in lizards, 500–507
  in pikas, 622–635
Displacement model of sperm competition, 255–256
DNA fingerprinting, 44, 389, 516, 650–651
Domestic fowl, sperm competition mechanisms, 253–260
Dominance hierarchies
  among trout, 447–448
  and predation risk, 29, 30, 261–266
  relation to food caching in birds, 122–129
Dual inheritance model, 323
Dynamic optimization, 345–353

Eastern bluebirds, paternal care by, 201–205
Echolocation calls, effect on moth mating behavior, 552–558
Ecological constraints
  and colony takeover in ants, 367–375
  and fire ant queen number, 130
  in intercolony interactions, 354–359
  role in reproductive skew, 272–273
Ectoparasites, and fitness of cliff swallows, 168–169
Efficiency maximization, of foraging, 49–53
Egg ejection/nonejection, by brood parasite hosts, 566–572
Ejaculate expenditures, in moths, 592–597
Eleutherodactylus johnstonei. *See* frogs
Energy
  constraints on mating success, 297–300
  expenditures in foraging, 49–53
  expenditures in prey-choice models, 80–81
Environmental stress, in grizzly bears, 339–344
Episyrphus balteatus. *See* hoverflies
Eumeces laticeps (broad-headed skink). *See* lizards
Eurasian dippers, foraging behavior and age at independence, 471–477
Evolutionarily stable strategies, 397, 401–403
Extrapair copulations, 388
  among bird species, 456–457, 462–463
  in great tits, 649–650
  in swallows, 158, 163
Extrapair fertilizations
  in great tits, 388–396, 649–656
  in jays, 62
  and male bilateral asymmetry, 239
  in red-winged blackbirds, 456–464
  in vireo species, 515–524

Fallow deer, sex ratio adjustment, 404–408
Familiarity, and competition in trout, 445–451
Fat reserves
  in chickadees, 193–200
  and mating success in sand gobies, 297–300
Feeding opportunism, in spiders, 33–42
Female distribution, and male reproductive strategy, 136–143
Fertility insurance, 649–656
Fiddler crabs, courtship rates, 605–611
Fire ants
  alternative reproductive strategies, 130–135
  cooperative foundress associations, 478–485
  group defense in, 301–308
Fisherian runaway mechanism, 187
Fitness
  and alternative reproductive strategies in swallows, 158–171
  geometric mean, 642–648
Flies. *See* Hoverflies; stalk-eyed flies
Flower constancy, in hoverflies, 213–219
Fluctuating asymmetry
  in beetle horns, 465–470
  and ejaculate expenditures in moths, 592–597
  in grizzly bears, 339–344
  and sexual selection, 546–551
Fluctuating environments, and phenotypic plasticity, 642–648
Food availability, and courtship in fiddler crabs, 608, 609
Food caching. *See* Caching
Food competition, 397–403
  in female damselfish, 439–444
Food intake
  in coho salmon, 26–32
  at various life stages in great bustards, 247–248
Food uptake rates, 397–403
Foraging
  Bayesian, 345–353
  behavior and age at independence in birds, 471–477
  in chickadees, 193–200
  in hoverflies, 213–219
  information transmission in guppies, 493–499
  kleptoparasitism in, 397–403
  and predation risk in squirrels, 151–157
  sit-and-wait, 74–84
  time and energy constraint models, 49–53
  trapline by bumble bees, 612–621
Formica truncorum. *See* Ants
Frogs, amphisexual parental behavior, 1–7
Fungus, and frog egg mortality, 5

Gallinula chloropus. *See* Moorhens
Gallus domesticus. *See* Domestic fowl
Game theory, application to kleptoparasitism, 397–403
Gammarus lacustris, effect of parasitic infection on mating success, 206–211
Gestation time, and social complexity, 12
Giving-up density, 345–353
  in bobwhites, 177–186
  in squirrels, 151–157
Good genes hypothesis, 388–396, 649–656

Grasshoppers, antipredator behavior and coloration, 409–413
Great bustards, natal dispersal, 243–253
Great tits, extrapair fertilizations, 388–396, 649–655
Grebes, male mate choice, 313–321
Grizzly bears, environmental stress and developmental stability, 339–344
Group defense
in butterfly larvae, 109–115
in fire ants, 301–308
Group size, and aggression in larval salamanders, 508–514
Grouse, territory positions in lekking black, 376–383
Growth, and predation trade-offs, 26–32
Gryllotalpa major (prairie mole cricket). *See* Crickets
Guppies
information transmission in, 493–499
mate choice copying in, 323–327

Habitat
and juvenile dispersal in pikas, 627–628
and mate competition in voles, 90
and predation risk, 151–157, 261–266
Haematopus ostralegus. *See* Oystercatchers
Handling time
for parasitoid wasps, 58
in pollinators, 213–219
Harem size, and male bilateral asymmetry, 237–238
Hatchability, and inbreeding, 60
Hatcheries, effect on trout social behavior, 445–446
Helminths, effect on copepod behavior, 414–418
Helping behavior. *See also* Cooperation
in cichlids, 432–438
and prolactin levels in birds, 541–545
Hoarding. *See* Caching
Honest signaling
in horned beetles, 465–470
and territory position, 376–383
Horned beetles
fluctuating asymmetry in, 465–470
parental investment and horn morphology, 636–641
Hosts, of cuckoo brood parasites, 566–572
Hot-spot model, 429
House wrens, reproductive success, 43–48
Hoverflies, flower constancy among, 213–219
Hybridization, and mate choice among grebes, 313–321
Hypsypops rubicundus. *See* Damselfish

Ideal free distribution, 30
of unequal competitors model with interference, 427–431
Inbreeding avoidance, 249–250, 622, 632
in jays, 60–63
Incomplete control model, of reproductive sharing, 267–278
Independence
foraging in birds, 471–477
in great bustards, 243–253
Indigo buntings, effect of brood parasitism on, 64–73
Individual recognition, in trout, 445–451
Information transmission, in guppies, 493–499
Iridomyrmex. *See* Ants

Jalmenus evagoras. *See* Butterflies
Jays
helping behavior among species, 541–545
inbreeding avoidance in, 60–63

Kin selection theory, 573–581
Kinship
clusters and reproductive success in voles, 85–92
and control of reproduction in wasps, 573–581
and dispersal, 500–507, 630
lack of recognition in wasp colony fission, 172–176
and reproductive skew, 268–277
Kleptoparasitism
among spiders, 384–387
application of game theory to, 397–403
of food caches, 127

Lacerta vivipara (common lizard). *See* Lizards
Lactation
and energy allocation in bighorn ewes, 147
and social complexity, 13
Ladybird beetles, sperm precedence in, 559–565
Laelius pedatus. *See* Wasps
Larval aggregations, costs and benefits of, 109–115
Latrodectus hasselti (redback spiders). *See* Spiders
Leks
importance of territory positions, 376–383
male competitive abilities and, 427–431
male mating success on, 328–338
Leptothorax nylanderi. *See* Ants
Life-history theory, 642–648
Litter size, and social complexity, 12–13
Lizards
antipredator behavior in, 598–604
influence of density and kinship on dispersal, 500–507
monogamy and vigilance, 452–455
sit-and-wait foraging, 74–84
Local resource competition, 404

Macrocyclops albidus. *See* Copepods
Maladaption, in guppies, 493–499
Male-male competition, and leks, 427–431
Male quality, and bilateral symmetry, 220–231
Male sacrifice, in spiders, 33–42
MALIGN, 526
Malurus splendens. *See* Splendid fairy-wrens
Marginal value model, of mating systems, 136–143
Marmota, life-history consequences of increased social complexity, 8–19
Mate choice
and acoustic signaling in crickets, 585–591
female
copying, 323–327, 534–539
costs of, 439–444
rejection in ladybird beetles, 562, 564
in stalk-eyed flies, 525–533
in fiddler crabs, 605–611
and ornaments in auklets, 187–192
and sexual cannibalism, 33, 39–40
and symmetry, 546–551
timing of male in grebes, 313–321
Mate competition
among males, 427–431
and dispersal in pikas, 632
Mate guarding, 43, 390–391, 452
in *Gammarus lacustris*, 206
in vireos, 516, 519–520, 522
Mate recognition, auditory, 582
Maternal care, in frogs, 1–7
Maternal condition, and sex ratio in deer, 404–408
Maternal expenditure, in bighorn sheep, 144–150
Mating behavior
in ant queens, 116–121
effect of predation risk on, 552–558
Mating history, effect on sperm precedence in ladybird beetles, 559–565
Mating success

effect of parasitic infection on, 206–211
energetic constraints on, 297–300
of lekking males, 328–338
Mating systems, marginal value model of, 136–143
Meleagris gallopavo. *See* Turkeys
Meta-analyses
of mating success among lekking males, 328–338
of size and asymmetry in sexual selection, 546–551
Microsatellite analysis, 173, 575–576
Microtus agrestis (field vole). *See* Voles
Midges, body size and male reproductive success, 279–286
Mole rats, intercolony encounters, 354–359
Mollies, mate choice copying in sailfin, 534–539
Molothurs ater (brown-headed cowbird). *See* Cowbirds
Monogamy
and mating success of house wrens, 43–48
and paternal care, 486
and vigilance in lizards, 452–455
in vireo species, 515–524
Monogyny, cyclical, 573, 577
Moorhens, brood parasitism by and reproductive success, 93–100
Moths
effect of predation risk on mating behavior, 552–558
ejaculate expenditure in, 592–597
Mouth brooding, in cichlids, 309–312
Muskoxen, model of variation in mating systems, 136–143
Mutualism, between lycaenid butterflies and ants, 109–115

Neolamprologus pulcher (brichardi). *See* Cichlids
Nephila. *See* Spiders
Nest defense, and male bilateral symmetry, 227
Nest predation, at parasitized nests, 68, 70
Nest sites, limitation and colony takeover in ants, 367–375
Nuptial gifts, in butterflies, 20–21, 22–23

Ochotona curzoniae. *See* Pikas
Odor stimuli, and parasitism, 414–418
Offspring
size and number trade-offs in wasps, 54–59
survivorship and paternal care in sparrows, 486–492
Olfactory cues, of predation risk, 153, 155
Oncorhynchus kisutch. *See* Coho salmon
Onthophagus taurus. *See* Horned beetles
Ontogenetic-switch hypothesis, 250
Operational sex ratios, 136, 140, 313–321
and mate competition, 20
and parental care in frogs, 4
Optimal foraging, in squirrels, 151–157
Optimal skew models, 267–278
Ornaments. *See* Sexual ornaments
Ostrinia nubilalis. *See* Moths
Otis tarda. *See* Great bustards
Outbreeding, in mole rats, 354–359
Ovibos moschatus. *See* Muskoxen
Ovis canadensis. *See* Bighorn sheep
Owls, predation of voles, 261
Oystercatchers, foraging models, 51

Parasematism, 598, 603
Parasitism. *See also* Brood parasitism
of blackbirds and male bilateral symmetry, 224–226
by cestodes, 414–418
effect on mating success, 206–211
and fitness of swallows, 168–169
intraspecific in ants, 367–375
Parasitoids, offspring size and number trade-offs, 54–59
Parental care, amphisexual, 1–7
Parental expenditure
and horn morphology in horned beetles, 636–641
and reproductive rates in butterflies, 20–25
Parus major. *See* Great tits
Parus montanus. *See* Willow tits
Passerculus sandwichensis. *See* Sparrows
Passerina cyanea. *See* Indigo buntings
Passive sperm-loss model, 254
Patch assessment, by bobwhites, 177–186
Patch residence time, 345–353
in wolf spiders, 360–366
Patch use, and predation risk in squirrels, 151–157
Paternal care
by eastern bluebirds, 201–205
fitness consequences in sparrows, 486–492
in frogs, 1–7
and male bilateral symmetry, 227
by sand gobies, 297, 299
in vireos, 516, 520–521
Paternity
in ladybird beetles, 559–565
and paternal care in bluebirds, 201–205
Pay-to-stay hypothesis, 434–437
Petrochelidon pyrrhonota. *See* Cliff swallows
Phenotypic plasticity
and environmental fluctuation, 642–648
in horned beetles, 636–641
Phenotypic quality, determining, 427–428
Phenotypic variability, 508
Pheromone plumes, of moths, 552
Philomachus pugnax. *See* Ruffs
Philopatry, 633
Phonotaxis, 585–589
Pikas, dispersal in, 622–635
Pleometrosis, 301
Plodia interpunctella. *See* Moths
Poecile carolinensis (Carolina chickadees). *See* Chickadees
Poecilia latipinna. *See* Sailfin mollies
Poecilia reticulata. *See* Guppies
Pollination, and flower constancy in hoverflies, 213–219
Polyandry
in cichlids, 309–312
and reproductive rate in butterflies, 20–25
Polygyny, 622
in fire ants, 130–135
in house wrens, 43–48
Pomatoschistus minutus. *See* Sand gobies
Population density
effect on offspring body mass in sheep, 145, 146–148
and kin clusters in voles, 85–92
Possingham model, 612–613
Predation risk
in coho salmon, 26–32
cues in squirrels, 151–157
effect on mating behavior, 552–558
and habitat familiarity, 261–266
Predators, effect on prey coloration, 409–413
Prey choice, 261
Prey density, 74–84
use of sensory cues to assess, 360–366
Prolactin, levels and helping behavior in birds, 541–545
Protandry, 23
Protection, mutualistic relationships involving, 109–115
Provisioning
versus feeding, 49–53
by helpers and prolactin levels, 541–545
in horned beetles, 637–638
independence from, 471–477

in sparrows, 486–492
Pseudaletia unipuncta. *See* Moths

Queen number, in epiponine wasps, 574
Queuing theory, 376–383

Rate maximization, of foraging, 49–53
Red-winged blackbirds
bilateral symmetry, 220–231, 232–242
breeding synchrony and extrapair fertilizations, 456–464
Relatedness. *See* kinship
Reproduction, and social complexity, 11–12
Reproductive rates, and parental expenditure in butterflies, 20–25
Reproductive skew, 267–278
Reproductive strategies
alternative in cliff swallows, 158–171
alternative in fire ants, 130–135
optimal in nonterritorial ungulates, 136–143
Reproductive success
and body size in male midges, 279–286
and brood parasitism, 64–73, 93–100
of house wrens, 43–48
and kin clusters in voles, 85–92
lifetime in mole rats, 354–359
and male bilateral asymmetry, 232–242
and paternal care in sparrows, 486–492
Resource competition, and dispersal in pikas, 631
Resource distribution, effect on foraging decisions in bobwhites, 177–186
Resources, renewing, 612–621
Retaliation, by cuckoo brood parasites, 566–572
Risk taking, in coho salmon, 26–32
Ruffs, models of male competition. *See* ruffs

Sailfin mollies, mate choice copying in, 534–539
Salamanders, aggression in larval, 508–514
Salmon, risk-taking behavior, 26–32
Salmo trutta. *See* Trout
Sand gobies, energetic constraints on mating success, 297–300
Schistocephalus solidus. *See* Cestodes
Schizocosa ocreata. *See* Wolf spiders
Sciurids. *See also* Squirrels
life-history consequences of increased social complexity, 8–19
Sciurus niger (fox squirrel). *See* Squirrels
Search time, 345–353
Season
-dependent body mass gain, 144, 148–149
-dependent caching, 193–200
Semilunar cycle, and courtship in fiddler crabs, 608, 610
Sensory bias, and mate choice, 525–533
Sensory information
and predation risk, 151–157
use to assess prey density, 360–366
Sex allocation, and queen fitness in ants, 116–121
Sex differences, in dispersal, 243–253
Sex ratios
adjustment in deer, 404–408
operational and mate choice in grebes, 313–321
split, 575–576
Sexual advertisement, influences on cricket, 101–108
Sexual ornaments
in fiddler crabs, 605–611
and mate choice in auklets, 187–192
Sexual selection
and developmental stability, 339–344
and female mate choice, 323–327
in fiddler crabs, 605–611
and fluctuating asymmetry, 546–551
in horned beetles, 465–470
meta-analysis of, 328–338
in midges, 279–286
of ornaments in auklets, 187–192
in sand gobies, 297–300
Sheep, maternal expenditure in bighorn, 144–150
Sialia sialis. *See* Eastern bluebirds
Skill acquisition, in birds, 471–477
Skinks. *See* Lizards
Social behavior, in trout, 445–451
Social complexity, life-history consequences in sciurids, 8–19
Sociality, variation among ant foundresses, 478
Social learning, in guppies, 493–499
Social subordination hypothesis, 251
Soil temperature, and chirp rate in crickets, 107
Solenopsis invicta. *See* Fire ants
Sparrows, fitness consequences of paternal care, 486–492
Species recognition
auditory, 583
in auklets, 188
Spermatheca, volumes and ejaculate size, 592–597
Sperm competition, 592
mechanisms in birds, 253–260
Spermophilus tridecemlineatus (thirteen-lined ground squirrel). *See* Squirrels
Sperm precedence, in ladybird beetles, 559–565
Spiders
sexual cannibalism in, 33–42
use of sensory cues to assess prey density, 360–366
web kleptoparasitism among, 384–387
Splendid fairy-wrens, parasitism by cuckoos, 419–424
Squirrels, predation risk and foraging, 151–157
Stabilizing selection, in midges, 279–286
Stalk-eyed flies, female mating preferences, 525–533
Sticklebacks, parasitism by cestodes, 414–418
Stratification model of sperm competition, 254–255
Survival
and alternative reproductive strategies in swallows, 158–171
and coloration, 409–413
of extrapair offspring, 654–655
of frog eggs and parental care, 3–4
of inbred offspring, 60, 62
juvenile and social complexity, 13
-maximizing foraging, 345–353
of offspring from parasitized nests, 68–69
Swallows, alternative reproductive strategies, 158–171
Symmetry
and male quality, 220–231
and sexual selection, 546–551
Syrphus ribesii. *See* Hoverflies

Territory acquisition, 376–383, 432–438
and male bilateral asymmetry, 236
Territory protection, in female damselfish, 439–444
Tetrao tetrix. *See* Black grouse
Tetrix subulata (pygmy grasshopper). *See* Grasshoppers
Thresholds, in mate choice, 323–327
Tiliqua rugosa (sleepy lizard). *See* Lizards
Tits
extrapair fertilizations in great, 388–396, 649–656
food caching in willow, 122–129
Trade-off hypothesis, 43, 47

Troglodytes aedon. *See* House wrens
Trout, individual recognition in, 445–451
Turkeys, sperm competition mechanisms, 253–260

Uca annulipes. *See* Fiddler crabs
Ungulates, mating systems of nonterritorial, 136–143
Ursus arctos horribilis. *See* Grizzly bears

Vigilance, and monogamy in lizards, 452–455
Vireos (*Vireo*), monogamy and extrapair fertilizations in, 515–524
Voles
  body size and habitat quality, 261–266
  kin clusters and reproductive success, 85–92

Wasps
  kin discrimination during colony fission, 172–176
  kinship and control of reproduction, 573–581
  trade-offs between offspring size and number, 54–59
Webs, kleptoparasitism of spider, 384–387
Willow tits, food caching in, 122–129
Wolf spiders, use of sensory cues to assess prey density, 360–366
Wrens
  brood parasitism of splendid fairy, 419–424
  reproductive success of house, 43–48

Xenophobia, among mole rats, 354–359

Author/Title Index

Acharya L, McNeil JN: Predation risk and mating behavior: the responses of moths to batlike ultrasound, 552–558
Adams ES. *See* Jerome CA
Alatalo RV. *See* Kokko H
Alonso JA. *See* Alonso JC
Alonso JC, Martín E, Alonso JA, Morales MB: Proximate and ultimate causes of natal disperal in the great bustard *Otis tarda*, 243–252
Andrade MCB: Female hunger can explain variation in cannibalistic behavior despite male sacrifice in redback spiders, 33–42
Appleqvist S. *See* Forsman A
Armitage KB. *See* Blumstein DT
Axén AH, Pierce NE: Aggregation as a cost-reducing strategy for lycaenid larvae, 109–115

Backwell PRY. *See* Jennions MD
Badyaev AV: Environmental stress and developmental stability in dentition of the Yellowstone grizzly bears, 339–344
Baker RH. *See* Wilkinson GS
Balshine-Earn S, Neat FC, Reid H, Taborsky M: Paying to stay or paying to breed? Field evidence for direct benefits of helping behavior in a cooperatively breeding fish, 432–438
Bathen A. *See* Strohbach S
Bernasconi G, Keller L: Phenotype and individual investment in cooperative foundress associations of the fire ant, *Solenopsis invicta*, 478–485
Biggins JD. *See* Birkhead TR
Birgersson B: Adaptive adjustment of the sex ratio: more data and considerations from a fallow deer population, 404–408
Birkhead TR, Biggins JD: Sperm competition mechanisms in birds: models and data, 253–260
Blumstein DT, Armitage KB: Life history consequences of social complexity: a comparative study of ground-dwelling sciurids, 8–19
Boomsma JJ. *See* Forchhammer MC
Bourne GR: Amphisexual parental behavior of a terrestrial breeding frog *Eleutherodactylus johnstonei* in Guyana, 1–7
Brakefield PM. *See* de Jong PW
Brooker L, Brooker M: Why do splendid fairy-wrens always accept cuckoo eggs? 420–424
Brooker M. *See* Brooker L
Broom M, Ruxton GD: Evolutionarily stable stealing: game theory applied to kleptoparasitism, 397–403
Brown CR, Brown MB: Fitness components associated with alternative reproductive tactics in cliff swallows, 158–171
Brown ER. *See* Brown JL
Brown JL, Brown ER: Are inbred offspring less fit? Survival in a natural population of Mexican jays, 60–63
Brown JL, Vleck CM: Prolactin and helping behavior in birds: has natural selection strengthened helping behavior? 541–545
Brown JS. *See* Thorson JM
Brown MB. *See* Brown CR
Brunkow PE, Collins JP: Group size structure affects patterns of aggression in larval salamanders, 508–514
Buitron D. *See* Nuechterlein GL
Bull CM, Pamula Y: Enhanced vigilance in monogamous pairs of the lizard, *Tiliqua rugosa*, 452–455
Buskirk RE. *See* Higgins LE

Clobert J. *See* Léna J-P
Collins PJ. *See* Brunkow PE
Cooper WE Jr: Conditions favoring anticipatory reactive displays deflecting predatory attack, 598–604
Curio E. *See* Strohbach S

Daan S. *See* Dijkstra C
Dale M. *See* Krokene C
Damsgård B, Dill LM: Risk-taking behavior in weight-compensating coho slamon, *Oncorhynchus kisutch*, 26–32
de Fraipont M. *See* Léna J-P
DeHeer CJ, Tschinkel WR: The success of alternative reproductive tactics in monogyne populations of the ant *Solenopsis invicta*: significance for transitions in social organization, 130–135
de Jong PW, Brakefield PM, Geerinck BP: The effect of female mating history on sperm precedence in the two-spot ladybird, *Adalia bipunctata* (Coleoptera, Coccinellidae), 559–565
Dijkstra C, Daan S, Pen I: Fledgling sex ratios in relation to brood size in size-dimorphic altricial birds, 287–296
Dill LM. *See* Damsgard B
Dobson FS, Smith AT, Gao WX: Social and ecological influences on dispersal and philopatry in the plateua pika (*Ochotona curzoniae*), 636–641
Dufour K, Weatherhead PJ: Bilateral symmetry as an indicator of male quality in red-winged blackbirds: associations with measures of health, viability, and parental effort, 220–231; Reproductive consequences of bilateral asymmetry for individual male red-winged blackbirds, 232–242
Dugatkin LA: Genes, copying, and female mate choice: shifting thresholds, 323–327

Eischen F. *See* Hastings MD
Emlen ST. *See* Reeve HK
Epplen JT, Strohbach S

Festa-Bianchet M, Jorgenson JT: Selfish mothers: reproductive expenditure and resource availability in bighorn ewes, 144–150
Fiske P, Rintamäki PK, Karvonen E: Mating success in lekking males: a meta-analysis, 328–338
Foitzik S, Heinze J: Nest site limitation and colony takeover in the ant *Leptothorax nylanderi*, 367–375
Forchhammer MC, Boomsma JJ: Optimal mating strategies in nonterritorial ungulates: a general model tested on muskoxen, 136–143
Forsman A, Appelqvist S: Visual predators impose correlational selection on prey color pattern and behavior, 409–413
Freeman-Gallant CR: Fitness consequences of male parental care in Savannah sparrows, 486–492

Gage MJG: Influences on sex, size, and symmetry on ejaculate expenditure in a moth, 592–597
Gao WX. *See* Dobson FS
Geerinck BP. *See* de Jong PW
Goulson D, Wright NP: Flower constancy in the hoverflies *Episyrphus balteatus* (Degeer) and *Syrphus ribesii* (L.) (Syrphidae), 213–219
Gray EM. *See* Westneat DF
Guyot G. *See* Léna J-P

Hakkarainen H. *See* Koivunen V
Hastings MD, Queller DC, Eischen F, Strassman JE: Kin selection, relatedness, and worker control of reproduction in a large-colony epiponine wasp, *Brachygastra mellifica*, 573–581
Hedrick A, Weber T: Variance in female responses to the fine structure of male song in the field cricket, *Gryllus integer*, 582–597
Heinze J. *See* Foitzik S
Higgins LE, Buskirk RE: Spider-web kleptoparasites as a model for studying producer–consumer interactions, 384–387
Hill PSM: Environmental and social influences on calling effort in the prairie mole cricket (*Gryllotalpa major*), 101–108
Höjesjö J, Johnson JI, Petersson E, Järvi T: The importance of being familiar: individual recognition and social behavior in the sea trout (*Salmo trutta*), 445–451
Holmes JC. *See* Zohar S
Howlett JS. *See* Morton ES
Hughes CR. *See* Solís CR
Hunt J, Simmons LW: Patterns of fluctuating asymmetry in beetle horns: no evidence for reliable signaling, 465–470
Hunter FM. *See* Jones IL
Hurd P. *See* Ydenberg R

Jakobsen PJ, Wedekind C: Copepod reaction to odor stimuli influenced by cestode infection, 414–418
Järvi T. *See* Höjesjö J
Jennions MD, Backwell PRY: Variation in courtship rate in the fiddler crab *Uca annulipes*: is it related to male attractiveness? 605–611
Jerome CA, McInnes DA, Adams ES: Group defense by colony-founding queens in the fire ant *Solenopsis invicta*, 301–308
Johnson JI. *See* Höjesjö J
Jones IL, Hunter FM: Heterospecific mating preferences for a feather ornament in least auklets, 187–192
Jorgenson JT. *See* Festa-Bianchet M

Kahler H. *See* Wilkinson GS
Kaitala A. *See* Wiklund C
Karvonen E. *See* Fiske P
Keller L. *See* Bernasconi G; Reeve HK
Kellogg KA, Markert JA, Stauffer JR Jr, Kocher TD: Intraspecific brood mixing and rduced polyandry in a maternal mouth-brooding cichlid, 309–312
Klingler CF. *See* Solís CR
Kocher TD. *See* Kellogg KA
Kohlmann SG, Risenhoover KL: Effects of resource distribution, patch spacing, and preharvest information on foraging decisions of northern bobwhites, 177–186
Koivula K. *See* Lahti K
Koivunen V, Korpimäki E, Hakkarainen H: Refuge sites of voles under owl predation risk: priority of dominant individuals? 261–266
Kokko H, Lindström J, Alatalo RV, Rintamäki PT: Queuing for territory positions in the lekking black grouse (*Tetrao tetrix*), 376–383
Korpimäki E. *See* Koivunen V
Krokene C, Rigstad K, Dale M, Lifjeld JT: The function of extrapair paternity in blue tits and great tits: good genes or fertility insurance? 649–656

Lahti K, Koivula K, Rytkönen S, Mustonen T, Welling P, Pravosudov VV, Orell M: Social influences on food caching in willow tits: a field experiment, 122–129
Laland KN, Williams K: Social transmission of maladaptive information in the guppy, 493–499
Lazarus J. *See* Neems RM
Léna J-P, Clobert J, de Fraipont M, Lecomte J, Guyot G: The relative influence of density and kinship on dispersal in the common lizard, 500–507
Lifjeld JT. *See* Krokene C
Lindström J. *See* Kokko H
Lindström K: Energetic constraints on mating performance in the sand goby, 297–300
Lotem A. *See* Rodríguez-Gironés
Lubjuhn T. *See* Strohbach S
Lucas JR, Zielinski DL: Seasonal variation in the effect of cache pilferage on cache and body mass regulation in Carolina chickadees: what are the trade-offs? 193–200

MacDougall-Shackleton EA, Robertson RJ: Confidence of paternity and paternal care by eastern bluebirds, 201–205
Marienberg T. *See* Pusenius J
Markert JA. *See* Kellogg KA
Martín E. *See* Alonso JC
Mayhew PJ: Offspring size–number strategy in the bethylid parasitoid *Laelius pedatus*, 54–59
McInnes DA. *See* Jerome CA
McLachlan AJ. *See* Neems RM
McNamara JM: Phenotypic plasticity in fluctuating environments: consequences of the lack of individual optimization, 642–648
McNeil JN. *See* Acharya L
McRae SB: Relative reproductive success of female moorhens using conditional strategies of brood parasitism and parental care, 93–100
Moczek AP: Horn polyphenism in the beetle *Onthophagus taurus*: larval diet quality and plasticity in parental investment determine adult body size and male horn, 636–641
Møller AP. *See* Pagel M; Thornhill R
Morales MB. *See* Alonso JC
Morgan RA. *See* Thorson JM
Morton ES, Stutchbury BJM, Howlett JS, Piper WH: Genetic monogamy in blue-headed vireos and a comparison with a sympatric vireo with extrapair paternity, 515–524
Mustonen T. *See* Lahti K

Neat FC. *See* Balshine-Earn S
Neems RM, Lazarus J, McLachlan AJ: Lifetime reproductive success in a swarming midge: trade-offs and stabilizing selection for male body size, 279–286
Norman JE. *See* Thorson JM
Nuechterlein GL, Buitron D: Interspecific mate choice by late-courting male western grebes, 313–321

Olsson O, Holmgren NMA: The survival-rate–maximizing policy for Bayesian foragers: wait for good news, 345–353
O'Riain MJ. *See* Spinks AC

Pagel M, Møller AP, Pomiankowski A: Reduced parasitism by retaliatory cuckoos selects for hosts that rear cuckoo nestlings, 566–572
Pamula Y. *See* Bull CM
Payne LL. *See* Payne RB
Payne RB, Payne LL: Brood parasitism by cowbirds: risks and effects on reproductive success and survival in indigo buntings, 64–73
Pen I. *See* Dijkstra C
Persons MH, Uetz GW: Presampling sensory information and prey density assessment by wolf spiders (Araneae, Lycosidae), 360–366
Petersson E. *See* Höjesjö J
Pierce NE. *See* Axén AH
Piper WH. *See* Morton ES
Polakow DA. *See* Spinks AC
Pomiankowski A. *See* Pagel M
Pravosudov VV. *See* Lahti K
Pusenius J, Viitala J, Marienberg T, Ritvanen S: Martilineal kin clusters and their effect on reproductive success in the field vole *Microtus agrestis*, 85–92

Queller DC. *See* Hastings MD; Solís CR

Ratnieks LW. *See* Sundström L
Reeve HK, Emlen ST, Keller L: Reproductive sharing in animal societies: reproductive incentives or incomplete control by dominant breeders? 267–278
Reid H. *See* Balshine-Earn S
Rigstad K. *See* Krokene C
Rintamäki PK. *See* Fiske P
Rintamäki PT. *See* Kokko H
Risenhoover KL. *See* Kohlmann SG
Ritvanen S. *See* Pusenius J
Robertson RJ. *See* MacDougall-Shackleton EA
Rodríguez-Gironés, Lotem A: Acceptance by the splendid fairy-wren of parasitism by Horsfield's bronze-cuckoo: re-examination of Brooker and Brooker's equilibrium model, 419–420
Roughgarden J. *See* Shafir S
Ruxton GD. *See* Broom M
Ryan MJ. *See* Witte K
Rytkönen S. *See* Lahti K

Shafir S, Roughgarden J: Testing predictions of foraging theory for a sit-and-wait forager, *Anolis gingivinus*, 74–84
Sikkel PC: Competitor intrusions and mate-search tactics in a territorial marine fish, 439–444
Simmons LW. *See* Hunt J
Smith AT. *See* Dobson FS
Solís CR, Hughes CR, Klingler CJ, Strassmann JE, Queller DC: Lack of kin discrimination during wasp colony fission, 172–176
Spinks AC, O'Riain MJ, Polakow DA: Intercolonial encounters and xenophobia in the common mole rat, *Cryptomys hottentotus hottentotus* (Bathyergidae): the effects of aridity, sex, and reproductive status, 354–359
Stauffer JR Jr. *See* Kellogg KA
Strassmann JE. *See* Hastings MD; Solís CR
Strohbach S, Curio E, Bathen A, Epplen JT, Lubjuhn T: Extrapair paternity in the great tit (*Parus major*): a test of the "good genes" hypothesis, 388–396
Stutchbury BJM. *See* Morton ES
Sundström L, Ratnieks LW: Sex ratio conflicts, mating frequency, and queen fitness in the ant *Formica truncorum*, 116–121
Swartz Soukup S, Thompson CF: Social mating system and reproductive success in house wrens, 43–38

Taborsky M. *See* Balshine-Earn S
Thompson CF. *See* Swartz Soukup S
Thomson JD. *See* Williams NM
Thornhill R, Møller AP: The relative importance of size and asymmetry in sexual selection, 546–551
Thorson JM, Morgan RA, Brown JS, Norman JE: Direct and indirect cues of predatory risk and patch use by fox squirrels and thirteen-lined ground squirrels, 151–157
Tschinkel WR. *See* DeHeer CJ

Uetz GW. *See* Persons MH

Viitala J. *See* Pusenius J
Vleck CM. *See* Brown JL

Weatherhead PJ. *See* Dufour K
Weber T. *See* Hedrick A
Wedekind C. *See* Jakobsen PJ
Wedell N. *See* Wiklund C
Welling P. *See* Lahti K
Westneat DF, Gray EM: Breeding synchrony and extrapair fertilizations in two populations of red-winged blackbirds, 456–464
Widemo F: Competition for females on leks when male competitive abilities differ: empirical test of a model, 427–431
Wiklund C, Kaitala A, Wedell N: Decoupling of reproductive rates and parental expenditure in a polyandrous butterfly, 20–25
Wilkinson GS, Kahler H, Baker RH: Evolution of female mating preferences in stalk-eyed flies, 525–533
Williams K. *See* Laland KN
Williams NM, Thomson JD: Trapline foraging by bumble bees: III. Temporal patterns of visitation and foraging success at single plants, 612–621
Witte K, Ryan MJ: Male body length influences mate-choice copying in the sailfin molly *Poecilia latipinna*, 534–539
Wright NP. *See* Goulson D

Ydenberg R, Hurd P: Simple models of feeding with time and energy constraints, 49–53
Yoerg SI: Foraging behavior predicts age at independence in juvenile Eurasian dippers (*Cinclus cinclus*), 471–477

Zielinski DL. *See* Lucas JR
Zohar S, Holmes JC: Pairing success of male *Gammarus lacustris* infected by two acanthocephalans: a comparative study, 206–211